



## ZEFIRO 60 Z22

Zone 22 ATEX certified industrial vacuum



Request a free quotation

Download the catalogue





## ZEFIRO 60 Z22

Zone 22 ATEX certified industrial vacuum

**ZEFIRO 60 Z22 is a three phase industrial vacuum with the best dimension/power rate.**

With these features ZEFIRO60 Z22 is suitable to every kind of application in all the industries. Thanks to the ATEX certified side channel blower, it can vacuum dusts, liquids and solids even in explosive atmospheres zone 22. Compact and reliable industrial vacuum. Certified zone 22 side channel blower, suitable for work 24h/24 and maintenance free. Available in single phase or three phase version. Can vacuum dusts, solids and liquids. Detachable container with possibility to use safety collection bags for hazardous dust.



Power	V	400 3~
Frequency	Hz	50
Power	kW	2,6
Depression	mmH2O	2200
Airflow max	m3/h	300
Surface	cm2	20000
Filtration class ( primary filter)	(IEC 60335-2-69)	M
Filtration class ( HEPA filter)	(EN1822)	H
Air load on primary filter	m3/m2/h	150.00
Capacity	lt	60
Suction inlet diameter	mm	80
Dimensions	cm	67 x 65 x 160 h.
ATEX Zone	(Directive 94/9/CE)	22