

VP930

A famous and well-known workhorse

- efficient and durable for large area cleaning





Dual speed function on selected variants



HEPA H13 exhaust filter for top rated filtration level maintaining a high quality of air within the cleaning area



Durable steel container and 15 litre dust bag

World class famous dry vacuum cleaner

Nilfisk VP930 is the reliable partner for demanding cleaning applications in hotels, schools, offices and hospitals. Rugged and stable with a large dust bag capacity of 15 litres.

The ingenious design optimises air flow patterns and reduces energy losses to an absolute minimum, offering one of the quietest professional vacuum cleaners in the world.

The result is tremendous suction power with fantastic durability. This is what keeps our customers returning for the VP930 year after year.

- Excellent sound level
- Outstanding durability with sturdy steel container
- High quality components
- High filling capacity
- HEPA H13 exhaust filtration as standard



Parking solution as standard



The VP930 is the perfect choice for demanding applications such as offices, hotels and public buildings



VP930 is specially built for noise sensitive areas with a low comforting background sound pressure level from only 53 dB(A)

Shhhhhh!

For even quieter operation in noise sensitive areas such as day time cleaning in offices, hospital ward or vacuuming and cleaning in hotels without disturbing or waking up the guests, the VP930 is the right choice for you. With its fantastic sound pressure level of only 53 dB(A), daytime cleaning will be a true option with VP930.

NOISE IN YOUR DAILY LIFE

(sound power level/sound pressure level)



Airplane

156/140 dB(A)



Hair dryer

80/64 dB(A)



Conversation

76/60 dB(A)

VP930

66/53 dB(A)



Chirping of birds

46/30 dB(A)



Technical specifications

Description	Unit	VP930 Eco HEPA	VP930 HEPA Basic	VP930 HEPA
Item no.		10741550	107415451	107415453
Energy efficiency class		A++	B	B
Annual energy consumption (kWh/annum)		14	31	31
Dust pick up on carpets		C	C	C
Dust pick up on hard floor		B	C	C
Dust re-emission class		A	A	A
Sound power level (dB(A) IEC/EN 60335-2-69)		66	70	70/66
Rated power	W	400	760	760/400
Suction power end of tube	W	120	240	240
Airflow	l/sec.	26	33	33
Vacuum at nozzle	kPa	16	23	23
Sound pressure level IEC/EN 60335-2-69	dB(A)	53	57	57/53
Dust bag capacity	litre	15	15	15
HEPA H13	cm ²	yes	yes	Yes
Cable length	m	15	15	15
Length x width x height	cm	44x39x33	44x39x33	44x39x33
Weight	kg	7.9	7.9	7.9

Specifications and details are subject to change without prior notice.

Nilfisk A/S

Kornmarksvej 1 · DK-2605 Brøndby · Denmark
 Tel.: +45 43 23 81 00 · Fax: +45 43 43 77 00
 mail.com@nilfisk.com
 www.nilfisk.com

