

Mistral

3535

Compact three-phase industrial vacuum cleaner for dust, powder and solids



Request a free
quotation

Download the
catalogue





Mistral

3535

Compact three-phase industrial vacuum cleaner for dust, powder and solids

COMPACT VACUUM CLEANER: GREAT PERFORMANCES

Compact three-phase industrial vacuum cleaner for dust, powder and solids

The three-phase industrial vacuum Mistral 3535 is the most powerful version available on the compact Mistral chassis.

This industrial vacuum cleaner is in fact equipped with a 4 kW turbine, capable of guaranteeing excellent vacuum and air flow performances, even in continuous 24/7 applications.

INFINITE CUSTOMIZING POSSIBILITIES

As every other industrial vacuum cleaner in the Mistral line, the 3535 can be configured with a myriad of different options to meet any requirement. Class M, H (HEPA or Absolute) filters, NOMEX filters (resistant to high temperatures up to 250 °) or even PTFE filters can be mounted for the suction of the finer or hazardous dust.

THE IDEAL VACUUM CLEANER FOR THE PHARMACEUTICAL INDUSTRY

The Mistral 3535 vacuum cleaner, thanks to its incredible quietness, the possible total construction in stainless steel AISI 304 or 316 and its many other features is a vacuum cleaner ideal for laboratories and production lines in the pharmaceutical industry.

It is particularly suitable for extracting dust on compressing machines and capping machines used in the production of pharmaceuticals, food supplements, coffee, etc..





Request more information by clicking on the green button!

| | | |
|------------------------------------|------------------|------------------|
| Power | V | 400 3~ |
| Power | kW | 4 |
| Depression | mmH2O | 3200 |
| Depression (continuous service) | mmH2O | 2600 |
| Airflow max | m3/h | 420 |
| Surface | cm2 | 20000 |
| Filtration class (primary filter) | (IEC 60335-2-69) | L |
| Filter surface (HEPA filter) | cm2 | 27000 |
| Filtration class (HEPA filter) | (EN1822) | H14 |
| Air load on primary filter | m3/m2/h | 210.00 |
| Capacity | lt | 45 |
| Suction inlet diameter | mm | 80 |
| Sound level | dB(A) | 69 |
| IP protection / Ins.Cl. | IP | 55 |
| Dimensions | cm | 97 X 55 X 127 h. |
| Weight | kg | 88 |