DM35 OIL

Industrial vacuum for oil & chips recovery

Request a **free** quotation

Download the catalogue

2 ANNI garanzia

made in

All data mentioned in this document may change without notice.
Tutti i dati riportati in questo documento potrebbero variare senza preavviso.

www.delfinvacuums.it
delfin@delfinvacuums.it

DM35 OIL

Industrial vacuum for oil & chips recovery

Unique example of compactness and performance, the DM 35 OIL has been designed to meet the most demanding requirements of extraction and recovery of liquids, oils and emulsions, whether they mixed with dust or mud, or not.

A series of filters always protects engines from oil and shavings. Thanks to the detachable container the discharge of collected material becomes fast and easy, minimizing the time of cleaning and consequently the downtime of production.

- Detachable colleciton container with integrated floating device for liquids
- Sieve basket for liquid / solid separation
- Level indicator for vacuumed liquids
- Dust filter for dry cleaning service
- Tangential suction inlet with ntegrated cyclone

All data mentioned in this document may change without notice.
Tutti i dati riportati in questo documento potrebbero variare senza preavviso.

www.delfinvacuums.it
delfin@delfinvacuums.it

Product tab

DM35 OIL

Power	V	230 1~
Frequency	Hz	50
Power	kW	2,3
Depression	mmH2O	2500
Range	m3/h	360
Capacity	lt	100
Swarf capacity	lt	40
Floating	-	SI
Suction inlet diameter	mm	80
Sound level	dB(A)	76
IP protection / Ins.Cl.	IP	F
Dimensions	cm	58 X 60 X 110 h.

All data mentioned in this document may change without notice.
Tutti i dati riportati in questo documento potrebbero variare senza preavviso.

www.delfinvacuums.it
delfin@delfinvacuums.it